



POMPE SOMMERSE COMPLETAMENTE IN ACCIAIO INOX (AISI 304 - 316)



SUBMERSIBLE PUMPS FULL STAINLESS STEEL (AISI 304 - 316)



POMPES SUBMERSIBLES EN ACIER INOXYDABLE (AISI 304 - 316)



BOMBAS SU MERGIDAS EN ACERO INOXIDABLE (AISI 304 - 316)



STAINLESS STEEL PUMPS & MOTORS

GENERAL DATA

APPLICATIONS

Raw Water Supply
Irrigation Systems
Groundwater Lowering
Pressure Boosting
Industrial Applications
Pumping of clean, thin and non-aggressive liquids without fibres or solid particles

OPERATING CONDITIONS

Max. Liquid Temperature : 40°C
Max. Sand Content : 50mg/lit
Motor Protection Class : IP68
Max. Operation Sound : 70dB
Max. Starting Number : 20 (kalkış/sa) (starts/h)
Motor Rotation Direction : CW CCW

PUMP TYPE KEY

	J6	U	SS	17	50	/ 04
Drill Diameter						
Model Code						
Stainless Steel						
Nominal Flow Rate (m ³ /h)						
Motor Power (HP)						
Number Of Stages						

FEATURES

Pumps are produced as Standard AISI 304 Stainless Steel version
AISI 304 =DIN W.-Nr.1.4301

For applications with aggressive liquids,as optional AISI 316 Stainless Steel version is available
AISI 316 =DIN W.-Nr.1.4401

Cathodical Protection is suggested for seawater applications

Motor covers are as standard cast iron GG25. As optional,AISI 304 and 316 versions are available

Flow Rate (Q) : 1- 350 m³/h

Head (Hm) max: 550 mt.

STAINLESS STEEL SUBMERSIBLE PUMPS & MOTORS

PUMP RANGE

TYPE	J4U SS5	J4U SS8	J4U SS14	J6U SS17	J6U SS30	J6U SS46	J6U SS60	J6U SS77	J7U SS95	J8U SS135	J8U SS160	J10U SS200	J10U SS 250	J10U SS 300
Steel : DIN 1.4301 AISI 304	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Steel : DIN 1.4401 AISI 316	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Outlet Connection	1.5"	2"	2"	3"	3"	3"-4"	3"-4"	5"	5"	6"	6"	6"	6"	6"
Shaft Diameter	13	13	16	22	22	22	22	25	25	30	30	30	30	30

All pumps outlet 11 threads
Optional 8 threads

MOTOR RANGE

For Waterfilled Motors; Motor Covers are as standard Cast Iron GG25. As optional, AISI 304 and 316 versions are available

OIL FILLED MOTOR

	4" Motor							6" Motor						
Motor (kw)	0.75	1.1	1.5	2.2	3	4	5.5	7.5	9	11	13	15	18.5	22
Motor (hp)	1	1.5	2	3	4	5.5	7.5	10	12.5	15	17.5	20	25	30
Single Phase	+	+	+	+										
Three Phase					+	+	+	+	+	+	+	+	+	+
Rewindable Motor	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Steel :DIN 1.4301 AISI 304	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Steel :DIN 1.4401 AISI 316							+	+	+	+	+	+	+	+

WATERFILLED MOTOR

WATERFILLED MOTOR										7" Motor										8" Motor										10" Motor									
	6" Motor										8" Motor										10" Motor																		
Motor (kw)	4	5.5	7.5	9	11	13	15	18.5	22	26	30	37	45	52	55	60	63	67	75	92	110	130	150	170	185														
Motor (hp)	5.5	7.5	10	12.5	15	17.5	20	25	30	35	40	50	60	70	75	80	85	90	100	125	150	180	200	230	250														
Single Phase	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+														
Three Phase	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+														
Rewindable Motor	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+														
Steel :DIN 1.4301 AISI 304	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+														
Steel :DIN 1.4301 and Cast Iron	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+														
Steel :DIN 1.4401 AISI 316	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+														


SUBMERSIBLE PUMPS & MOTORS

STAINLESS STEEL PUMP COMPONENTS




BEARINGS WITH SAND CHANNELS

All bearings are water-lubricated and have a rectangular shape enabling sand particles, if any, to leave the pump together with the pump liquid.




INLET STRAINER

The inlet strainer prevents particles over a certain size to enter the pump.



BEARINGS WITH SAND CHANNELS

All pumps are equipped with a non-return valve in the valve casing preventing back flow in connection with pump stoppage. Furthermore, the short closing time of the non-return valve means that the risk of destructive water hammer is reduced to a minimum level. The valve casing is designed for a optimum hydraulic properties, to minimize the pressure loss accross the valve and thus contributes to the high efficiency of the pump.



STOP RING / STOPPER

The stop ring prevents the pump from damaging during transportation and over loading during start up. The stop ring, which is designed as a thrust bearing, limits axial movements of the pump shaft.

STAINLESS STEEL SUBMERSIBLE PUMP & MOTOR

STAINLESS STEEL PUMP COMPONENTS


No	CODE	COMPONENT	MATERIAL	STANDARD		OPTIONAL	
1	YCR0021900	Valve Casing Outlet	Stainless Steel	1.4301	304	1.4401	316
2	YCR0021950	Check Valve	Stainless Steel	1.4301	304	1.4401	316
3	YCR0030780	Neck Ring	Nitrille Rubber				
4	B1501003	Inter Bearing	Nitrille Rubber				
5	YCR0010801	Stopper Sheet	Stainless Steel	1.4401	316	1.4401	316
6	YCR002760	Split Cone Nut	Stainless Steel	1.4301	304	1.4401	316
7	YCR0020760	Split Cone	Stainless Steel	1.4301	304	1.4401	316
8	YCR46C0700	Impeller	Stainless Steel	1.4301	304	1.4401	316
9	YCR46C0900	Diffuser/Stage	Stainless Steel	1.4301	304	1.4401	316
10	YCR6010400	Suction	Stainless Steel	1.4301	304	1.4401	316
11	YCR0022200	Strainer	Stainless Steel	1.4301	304	1.4401	316
12	YCR0010300	Pump Shaft	Stainless Steel	1.4057	431	1.4460	329
13	YCR6020101	Coupling	Stainless Steel	1.4301	304	1.4401	316
14	YCR60D3400	Strap	Stainless Steel	1.4301	304	1.4401	316
15	YCR0012400	Cable Cover	Stainless Steel	1.4301	304	1.4401	316
16	YCR0010750	Wear Ring	Stainless Steel	1.4301	304	1.4401	316

MOTOR COMPONENTS


No	CODE	COMPONENT	MATERIAL	STANDARD
1	YMC0951105	Shaft	Stainless Steel	1.4301
2		Motor Housing	Stainless Steel	1.4301
3	YMC1453400	Stator	Si Sheet	
4	YMC1451100	Rotor	Si Sheet	
5	YMC1452300	Upper Cover	Cast Iron	GG25
6	YMC1451800	Lower Support Cover	Cast Iron	GG25
7	YMC1450900	Lower Support Cover	Cast Iron	GG25
8	YMC1450100	Lower Cover	Cast Iron	GG25
9	B2101002	Membrane	Rubber	NITRILE RUBBER
10	YMC1450500	Thrust Bearing	Brass+St.St+Graphite	

STAINLESS STEEL PUMPS & MOTOR

STAINLESS STEEL PUMP




SUBMERSIBLE MOTOR



J4U SS5 SERIES


PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J4U SS5 01/08	MJU 4 OC /01-M	0.75	751	346	96	405	95	15.20
J4U SS5 1,5/10	MJU 4 OC /1,5-M	1.1	818	388	96	430	95	16.90
J4U SS5 1,5/12	MJU 4 OC /1,5-M	1.1	860	430	96	430	95	17.50
J4U SS5 02/15	MJU 4 OC /02-M	1.5	953	493	96	460	95	19.76
J4U SS5 02/17	MJU 4 OC /02-M	1.5	995	535	96	460	95	20.40
J4U SS5 03/21	MJU 4 OC /03-M	2.2	1181	619	96	562	95	26.40
J4U SS5 03/25	MJU 4 OC /03-M	2.2	1265	703	96	562	95	27.70
J4U SS5 1,5/12	MJU 4 OC /1,5-T	1.1	835	430	96	405	95	16.20
J4U SS5 02/15	MJU 4 OC /02-T	1.5	917	493	96	424	95	17.86
J4U SS5 02/17	MJU 4 OC /02-T	1.5	959	535	96	424	95	18.50
J4U SS5 03/21	MJU 4 OC /03-T	2.2	1079	619	96	460	95	21.50
J4U SS5 03/25	MJU 4 OC /03-T	2.2	1163	703	96	460	95	22.80
J4U SS5 04/30	MJU 4 OC /04-T	3	1326	808	96	518	95	27.65
J4U SS5 04/33	MJU 4 OC /04-T	3	1389	871	96	518	95	28.90
J4U SS5 04/36	MJU 4 OC /04-T	3	1452	931	96	518	95	29.92
J4U SS5 05/38	MJU 4 OC /05-T	4	1556	976	96	580	95	33.70
J4U SS5 05/38	MJU 6 WC /05	4	1546	976	138	570	145	56.70
J4U SS5 05/41	MJU 4 OC /05-T	4	1619	1039	96	580	95	34.75
J4U SS5 05/41	MJU 6 WC /05	4	1619	1039	138	570	145	57.75
J4U SS5 05/44	MJU 4 OC /05-T	4	1682	1102	96	580	95	35.80
J4U SS5 05/44	MJU 6 WC /05	4	1672	1102	138	570	145	58.80
J4U SS5 07/48	MJU 4 OC /07-T	5.5	1869	1186	96	683	95	40.40
J4U SS5 07/48	MJU 6 WC /07	5.5	1756	1186	138	570	145	60.00
J4U SS5 07/52	MJU 4 OC /07-T	5.5	1951	1268	96	683	95	41.60
J4U SS5 07/52	MJU 6 WC /07	5.5	1838	1268	138	570	145	61.20
J4U SS5 07/56	MJU 4 OC /07-T	5.5	2035	1352	96	683	95	43.40
J4U SS5 07/56	MJU 6 WC /07	5.5	1922	1352	138	570	145	62.64
J4U SS5 07/60	MJU 4 OC /07-T	5.5	2119	1436	96	683	95	44.50
J4U SS5 07/60	MJU 6 WC /07	5.5	2006	1436	138	570	145	64.10
J4U SS5 10/65	MJU 6 WC /10	7.5	2161	1541	138	620	145	70.85
J4U SS5 10/70	MJU 6 WC /10	7.5	2266	1646	138	620	145	72.60
J4U SS5 10/75	MJU 6 WC /10	7.5	2401	1781	138	620	145	74.35
J4U SS5 10/80	MJU 6 WC /10	7.5	2506	1886	138	620	145	76.25
J4U SS5 10/85	MJU 6 WC /10	7.5	2611	1991	138	620	145	78.20



J4U SS5 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	0.22	0.44	0.67	0.89	1.11	1.33	1.56	1.78
		HP	KW				0	0.8	1.6	2.4	3.2	4.0	4.8	5.6	6.4
J4U SS5 01/08	8	1	0.75	1 1/2"	96	(Hm)	50	48	43	42	41	40	38	30	20
J4U SS5 1,5/10	10	1.5	1.1	1 1/2"	96		64	58	54	52	51	50	45	38	28
J4U SS5 1,5/12	12	1.5	1.1	1 1/2"	96		76	71	68	64	61	58	51	44	33
J4U SS5 02/15	15	2	1.5	1 1/2"	96		98	90	81	78	73	70	60	50	39
J4U SS5 02/17	17	2	1.5	1 1/2"	96		117	105	100	94	90	82	73	60	44
J4U SS5 03/21	21	3	2.2	1 1/2"	96		133	127	122	120	112	102	90	75	59
J4U SS5 03/25	25	3	2.2	1 1/2"	96		160	150	142	138	130	120	103	87	68
J4U SS5 04/30	30	4	3	1 1/2"	96		187	176	168	160	150	140	120	100	75
J4U SS5 04/33	33	4	3	1 1/2"	96		210	200	190	180	170	157	138	114	87
J4U SS5 04/36	36	4	3	1 1/2"	96		230	214	204	197	187	170	154	124	93
J4U SS5 05/38	38	5.5	4	1 1/2"	96		248	234	222	214	207	190	167	138	101
J4U SS5 05/41	41	5.5	4	1 1/2"	96		264	248	237	228	217	200	172	144	110
J4U SS5 05/44	44	5.5	4	1 1/2"	96		279	262	250	240	229	210	183	150	118
J4U SS5 07/48	48	7.5	5.5	1 1/2"	96		302	284	270	262	250	230	202	168	130
J4U SS5 07/52	52	7.5	5.5	1 1/2"	96		330	312	300	288	272	252	224	185	141
J4U SS5 07/56	56	7.5	5.5	1 1/2"	96		357	334	318	308	290	268	234	196	152
J4U SS5 07/60	60	7.5	5.5	1 1/2"	96		390	360	342	330	314	288	250	210	160
J4U SS5 10/65	65	10	7.5	1 1/2"	96		417	395	374	358	339	310	270	223	170
J4U SS5 10/70	70	10	7.5	1 1/2"	96		438	418	397	380	363	330	290	240	180
J4U SS5 10/75	75	10	7.5	1 1/2"	96		480	454	430	412	390	360	314	258	195
J4U SS5 10/80	80	10	7.5	1 1/2"	96		510	478	454	434	415	380	332	274	205
J4U SS5 10/85	85	10	7.5	1 1/2"	96		544	512	485	462	440	402	350	288	212

J4U SS5 SERIES




J4U SS8 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J4U SS8 01/05	MJU 4 OC /01-M	0.75	820	415	96	405	95	15.17
J4U SS8 1,5/07	MJU 4 OC /1,5-M	1.1	923	493	96	430	95	17.27
J4U SS8 02/10	MJU 4 OC /02-M	1.5	1080	620	96	460	95	20.06
J4U SS8 03/12	MJU 4 OC /03-M	2.2	1265	703	96	562	95	25.76
J4U SS8 03/15	MJU 4 OC /03-M	2.2	1392	830	96	562	95	27.26
J4U SS8 1,5/07	MJU 4 OC /1,5-T	1.1	898	493	96	405	95	15.97
J4U SS8 02/10	MJU 4 OC /02-T	1.5	1044	620	96	424	95	18.16
J4U SS8 03/12	MJU 4 OC /03-T	2.2	1163	703	96	460	95	20.86
J4U SS8 03/15	MJU 4 OC /03-T	2.2	1290	830	96	460	95	22.36
J4U SS8 04/18	MJU 4 OC /04-T	3	1473	955	96	518	95	26.66
J4U SS8 05/21	MJU 4 OC /05-T	4	1670	1090	96	580	95	31.26
J4U SS8 05/21	MJU 6 WC /05	4	1660	1090	138	570	145	54.26
J4U SS8 05/23	MJU 4 OC /05-T	4	1748	1168	96	580	95	32.26
J4U SS8 05/23	MJU 6 WC /05	4	1738	1168	138	570	145	55.26
J4U SS8 05/25	MJU 4 OC /05-T	4	1830	1250	96	580	95	33.26
J4U SS8 05/25	MJU 6 WC /05	4	1820	1250	138	570	145	56.26
J4U SS8 05/27	MJU 4 OC /05-T	4	1917	1337	96	580	95	34.26
J4U SS8 05/27	MJU 6 WC /05	4	1907	1337	138	570	145	57.26
J4U SS8 07/30	MJU 4 OC /07-T	5.5	2143	1460	96	683	95	39.16
J4U SS8 07/30	MJU 6 WC /07	5.5	2030	1460	138	570	145	58.76
J4U SS8 07/34	MJU 4 OC /07-T	5.5	2299	1616	96	683	95	41.16
J4U SS8 07/34	MJU 6 WC /07	5.5	2186	1616	138	570	145	60.76
J4U SS8 07/37	MJU 4 OC /07-T	5.5	2436	1753	96	683	95	42.66
J4U SS8 07/37	MJU 6 WC /07	5.5	2323	1753	138	570	145	62.26
J4U SS8 10/41	MJU 6 WC /10	7.5	2489	1869	138	620	145	69.26
J4U SS8 10/44	MJU 6 WC /10	7.5	2667	2047	138	620	145	70.76
J4U SS8 10/47	MJU 6 WC /10	7.5	2754	2134	138	620	145	72.26
J4U SS8 10/50	MJU 6 WC /10	7.5	2923	2303	138	620	145	73.76
J4U SS8 12/55	MJU 6 WC /12	9	3098	2448	138	650	145	83.26
J4U SS8 12/58	MJU 6 WC /12	9	3663	3013	138	650	145	85.20
J4U SS8 12/62	MJU 6 WC /12	9	3779	3129	138	650	145	86.28
J4U SS8 15/66	MJU 6 WC /15	11	4049	3349	138	700	145	93.40
J4U SS8 15/70	MJU 6 WC /15	11	4165	3465	138	700	145	94.56
J4U SS8 15/73	MJU 6 WC /15	11	4343	3643	138	700	145	96.20
J4U SS8 17/78	MJU 6 WC /17	13	4538	3788	138	750	145	102.20
J4U SS8 17/82	MJU 6 WC /17	13	4771	4012	138	750	145	103.80
J4U SS8 20/87	MJU 6 WC /20	15	4928	4128	138	800	145	107.80
J4U SS8 20/91	MJU 6 WC /20	15	5199	4399	138	800	145	109.40
J4U SS8 20/95	MJU 6 WC /20	15	5315	4515	138	800	145	111.00
J4U SS8 20/100	MJU 6 WC /20	15	5577	4777	138	800	145	113.00
J4U SS8 25/105	MJU 6 WC /25	18.5	5792	4922	138	870	145	126.00
J4U SS8 25/110	MJU 6 WC /25	18.5	6067	5197	138	870	145	129.00

J4U SS8 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	0.28	0.56	0.83	1.11	1.39	1.67	1.94	2.22	2.50	2.78	3.06
		HP	KW				0	1	2	3	4	5	6	7	8	9	10	11
J4U SS8 01/05	5	1	0.75	2"	101	(Hm)	30	29	28	27	26	25	24	23	22	20	18	14
J4U SS8 1,5/07	7	1.5	1.1	2"	101		40	39	38	37	36	35	33	31	30	29	27	20
J4U SS8 02/10	10	2	1.5	2"	101		60	59	55	52	51	50	48	45	42	40	32	28
J4U SS8 03/12	12	3	2.2	2"	101		72	70	68	64	62	61	60	56	50	48	40	30
J4U SS8 03/15	15	3	2.2	2"	101		90	88	82	80	78	74	72	70	64	58	49	40
J4U SS8 04/18	18	4	3	2"	101		110	105	100	97	92	90	86	80	79	70	60	48
J4U SS8 05/21	21	5.5	4	2"	101		128	122	120	112	110	104	100	98	90	80	70	57
J4U SS8 05/23	23	5.5	4	2"	101		140	138	130	124	119	112	110	105	100	88	75	60
J4U SS8 05/25	25	5.5	4	2"	101		150	145	140	132	129	121	119	112	108	95	80	64
J4U SS8 05/27	27	5.5	4	2"	101		168	160	150	141	139	134	130	125	117	102	89	70
J4U SS8 07/30	30	7.5	5.5	2"	101		181	175	168	160	152	149	140	132	124	110	95	74
J4U SS8 07/34	34	7.5	5.5	2"	101		202	193	184	177	168	160	150	145	135	120	100	80
J4U SS8 07/37	37	7.5	5.5	2"	101		220	212	204	197	189	180	170	160	150	132	110	88
J4U SS8 10/41	41	10	7.5	2"	144		245	234	222	210	200	192	184	172	160	144	120	98
J4U SS8 10/44	44	10	7.5	2"	144		264	254	244	233	222	212	200	190	180	158	130	105
J4U SS8 10/47	47	10	7.5	2"	144		284	270	260	248	233	220	210	200	188	166	140	110
J4U SS8 10/50	50	10	7.5	2"	144		300	289	274	262	250	238	227	218	200	180	150	115
J4U SS8 12/55	55	12.5	9	2"	144		330	315	300	284	270	258	247	234	219	191	160	125
J4U SS8 12/58	58	12.5	9	2"	144		350	334	320	304	290	278	265	250	235	210	174	134
J4U SS8 12/62	62	12.5	9	2"	144		377	360	340	322	307	290	280	268	248	220	185	147
J4U SS8 15/66	66	15	11	2"	144		394	380	362	348	330	317	300	286	267	235	198	154
J4U SS8 15/70	70	15	11	2"	144		419	400	380	360	342	330	314	297	275	240	204	160
J4U SS8 15/73	73	15	11	2"	144		435	418	400	380	362	348	330	314	290	260	214	164
J4U SS8 17/78	78	17.5	13	2"	144		463	442	420	400	380	365	350	330	305	270	227	180
J4U SS8 17/82	82	17.5	13	2"	144		490	470	450	430	410	390	374	355	330	295	242	190
J4U SS8 20/87	87	20	15	2"	144		517	494	470	450	430	410	390	370	345	305	260	205
J4U SS8 20/91	91	20	15	2"	144		545	523	500	480	458	438	418	396	369	330	274	212
J4U SS8 20/95	95	20	15	2"	144		570	548	522	498	470	450	430	410	378	334	282	220
J4U SS8 20/100	100	20	15	2"	144		598	574	550	525	500	476	452	432	400	355	298	230

J4U SS8 SERIES




J4U SS14 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J4U SS14 02/05	MJU 4 OC /02-M	1.5	970	510	96	460	95	19.30
J4U SS14 03/06	MJU 4 OC /03-M	2.2	1137	575	96	562	95	24.50
J4U SS14 03/07	MJU 4 OC /03-M	2.2	1202	640	96	562	95	25.00
J4U SS14 02/05	MJU 4 OC /02-T	1.5	934	510	96	424	95	17.40
J4U SS14 03/06	MJU 4 OC /03-T	2.2	1035	575	96	460	95	19.60
J4U SS14 03/07	MJU 4 OC /03-T	2.2	1100	640	96	460	95	20.10
J4U SS14 04/08	MJU 4 OC /04-T	3	1223	705	96	518	95	23.40
J4U SS14 04/09	MJU 4 OC /04-T	3	1288	770	96	518	95	23.90
J4U SS14 04/10	MJU 4 OC /04-T	3	1353	835	96	518	95	24.40
J4U SS14 04/11	MJU 4 OC /04-T	3	1418	900	96	518	95	24.90
J4U SS14 05/12	MJU 4 OC /05-T	4	1545	965	96	580	95	28.50
J4U SS14 05/12	MJU 6 WC /05	4	1535	965	138	570	145	51.50
J4U SS14 05/13	MJU 4 OC /05-T	4	1610	1030	96	580	95	29.00
J4U SS14 05/13	MJU 6 WC /05	4	1600	1030	138	570	145	52.00
J4U SS14 05/14	MJU 4 OC /05-T	4	1675	1095	96	580	95	29.52
J4U SS14 05/14	MJU 6 WC /05	4	1665	1095	138	570	145	52.52
J4U SS14 07/15	MJU 4 OC /07-T	5.5	1843	1160	96	683	95	33.44
J4U SS14 07/15	MJU 6 WC /07	5.5	1730	1160	138	570	145	53.04
J4U SS14 07/16	MJU 4 OC /07-T	5.5	1908	1225	96	683	95	33.96
J4U SS14 07/16	MJU 6 WC /07	5.5	1795	1225	138	570	145	53.56
J4U SS14 07/17	MJU 4 OC /07-T	5.5	1973	1290	96	683	95	34.48
J4U SS14 07/17	MJU 6 WC /07	5.5	1860	1290	138	570	145	54.08
J4U SS14 07/18	MJU 4 OC /07-T	5.5	2038	1355	96	683	95	35.00
J4U SS14 07/18	MJU 6 WC /07	5.5	1925	1355	138	570	145	54.60
J4U SS14 10/19	MJU 6 WC /10	7.5	2040	1420	138	620	145	60.12
J4U SS14 10/20	MJU 6 WC /10	7.5	2105	1485	138	620	145	60.64
J4U SS14 10/21	MJU 6 WC /10	7.5	2170	1550	138	620	145	61.16
J4U SS14 10/22	MJU 6 WC /10	7.5	2235	1615	138	620	145	61.68
J4U SS14 10/23	MJU 6 WC /10	7.5	2300	1680	138	620	145	62.20
J4U SS14 10/24	MJU 6 WC /10	7.5	2365	1745	138	620	145	62.72
J4U SS14 10/25	MJU 6 WC /10	7.5	2492	1872	138	620	145	63.30

J4U SS14 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	0.56	1.11	1.67	2.22	2.78	3.33	3.89	4.44	5.00
		HP	KW				0	2	4	6	8	10	12	14	16	18
J4U SS14 02/05	5	2	1.5	2"	101	(Hm)	34	33	32	31	29	27	25	22	18	14
J4U SS14 03/06	6	3	2.2	2"	101		42	41	40	38	36	34	32	28	23	16
J4U SS14 03/07	7	3	2.2	2"	101		47	46	45	44	42	40	37	32	26	20
J4U SS14 04/08	8	4	3	2"	101		55	54	53	51	48	45	41	36	30	22
J4U SS14 04/09	9	4	3	2"	101		61	60	59	56	54	50	48	40	34	25
J4U SS14 04/10	10	4	3	2"	101		68	67	66	63	60	56	52	46	38	28
J4U SS14 04/11	11	4	3	2"	101		75	74	72	69	66	62	57	50	42	31
J4U SS14 05/12	12	5.5	4	2"	101		82	81	79	75	71	66	62	55	46	34
J4U SS14 05/13	13	5.5	4	2"	101		88	87	86	82	78	73	67	60	48	36
J4U SS14 05/14	14	5.5	4	2"	101		94	93	92	88	84	79	72	64	52	40
J4U SS14 07/15	15	7.5	5.5	2"	101		99	98	96	94	89	84	78	68	56	43
J4U SS14 07/16	16	7.5	5.5	2"	101		105	104	103	100	94	89	83	73	60	45
J4U SS14 07/17	17	7.5	5.5	2"	101		112	111	110	106	101	96	88	78	63	48
J4U SS14 07/18	18	7.5	5.5	2"	101		121	120	118	113	107	101	94	83	68	51
J4U SS14 10/19	19	10	7.5	2"	101		129	128	124	118	112	106	98	88	73	55
J4U SS14 10/20	20	10	7.5	2"	101		135	134	130	124	118	112	102	92	76	58
J4U SS14 10/21	21	10	7.5	2"	101		141	140	136	130	124	117	108	96	79	59
J4U SS14 10/22	22	10	7.5	2"	101		148	147	143	136	128	122	112	100	82	61
J4U SS14 10/23	23	10	7.5	2"	101		154	153	149	142	134	126	116	103	84	62
J4U SS14 10/24	24	10	7.5	2"	101		162	160	156	148	140	132	122	108	89	64
J4U SS14 10/25	25	10	7.5	2"	101		169	168	164	156	148	140	130	114	94	70

J4U SS14 SERIES






J6U SS10 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J6U SS10 01/02	MJU 4 OC /01-T	0,75	819	414	134	405	95	17,1
J6U SS10 1,5/03	MJU 4 OC /1,5-T	1,1	910	480	134	430	95	20,8
J6U SS10 02/04	MJU 4 OC /02-T	1,5	1006	546	134	460	95	22,4
J6U SS10 03/05	MJU 4 OC /03-T	2,2	1174	612	134	562	95	26,8
J6U SS10 03/06	MJU 4 OC /03-T	2,2	1240	678	134	562	95	31
J6U SS10 04/07	MJU 4 OC /04-T	3	1262	744	134	518	95	33,5
J6U SS10 04/08	MJU 4 OC /04-T	3	1328	810	134	518	95	59
J6U SS10 05/09	MJU 4 OC /05-T	4	1456	876	134	580	95	60,5
J6U SS10 05/10	MJU 4 OC /05-T	4	1522	942	134	580	95	62
J6U SS10 07/11	MJU 6 WC /07	5,5	1578	1008	134	570	145	68
J6U SS10 07/12	MJU 6 WC /07	5,5	1644	1074	134	570	145	69,5
J6U SS10 07/13	MJU 6 WC /07	5,5	1710	1140	134	570	145	71
J6U SS10 07/14	MJU 6 WC /07	5,5	1776	1206	134	570	145	78,5
J6U SS10 10/15	MJU 6 WC /10	7,5	1892	1272	134	620	145	80
J6U SS10 10/16	MJU 6 WC /10	7,5	1958	1338	134	620	145	81,5
J6U SS10 10/17	MJU 6 WC /10	7,5	2024	1404	134	620	145	83
J6U SS10 10/18	MJU 6 WC /10	7,5	2090	1470	134	620	145	90,4
J6U SS10 10/19	MJU 6 WC /10	7,5	2156	1536	134	620	145	92
J6U SS10 10/20	MJU 6 WC /10	7,5	2222	1602	134	620	145	93,6
J6U SS10 10/21	MJU 6 WC /10	7,5	2288	1668	134	620	145	99,2
J6U SS10 10/22	MJU 6 WC /10	7,5	2354	1734	134	620	145	100,8
J6U SS10 12/23	MJU 6 WC /12	9	2450	1800	134	650	145	102,4
J6U SS10 12/24	MJU 6 WC /12	9	2516	1866	134	650	145	104
J6U SS10 12/25	MJU 6 WC /12	9	2582	1932	134	650	145	107,6
J6U SS10 12/26	MJU 6 WC /12	9	2648	1998	134	650	145	109,2
J6U SS10 15/27	MJU 6 WC /15	11	2764	2064	134	700	145	110,8
J6U SS10 15/28	MJU 6 WC /15	11	2830	2130	134	700	145	124,4
J6U SS10 15/29	MJU 6 WC /15	11	2896	2196	134	700	145	126
J6U SS10 15/30	MJU 6 WC /15	11	2962	2262	134	700	145	127,6
J6U SS10 17/33	MJU 6 WC /17	13	3210	2460	134	750	145	132,4
J6U SS10 17/35	MJU 6 WC /17	13	3342	2592	134	750	145	147,6
J6U SS10 17/37	MJU 6 WC /17	13	3474	2724	134	750	145	150,8
J6U SS10 20/39	MJU 6 WC /20	15	3656	2856	134	800	145	154
J6U SS10 20/41	MJU 6 WC /20	15	3788	2988	134	800	145	159
J6U SS10 25/43	MJU 6 WC /25	18,5	3990	3120	134	870	145	169,4
J6U SS10 25/45	MJU 6 WC /25	18,5	4122	3252	134	870	145	172,6
J6U SS10 25/47	MJU 6 WC /25	18,5	4254	3384	134	870	145	175,8
J6U SS10 25/49	MJU 6 WC /25	18,5	4386	3516	134	870	145	179


J6U SS10 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	1	2	3	4	5
		HP	KW				0	3.6	7.2	10.8	14.4	18
J6U SS10 01/02	2	1	0,75	3"	131	(Hm)	19	18	17	15	11	7
J6U SS10 1,5/03	3	1.5	1,1	3"	131		28	27	26	23	18	10
J6U SS10 02/04	4	2	1,5	3"	131		38	37	35	31	24	14
J6U SS10 03/05	5	3	2,2	3"	131		47	46	44	38	30	18
J6U SS10 03/06	6	3	2,2	3"	131		57	54	52	46	36	22
J6U SS10 04/07	7	4	3	3"	131		67	64	61	53	43	26
J6U SS10 04/08	8	4	3	3"	131		74	73	70	61	49	29
J6U SS10 05/09	9	5.5	4	3"	144		83	82	79	69	55	33
J6U SS10 05/10	10	5.5	4	3"	144		92	90	88	77	60	37
J6U SS10 07/11	11	7.5	5,5	3"	144		102	100	96	85	66	41
J6U SS10 07/12	12	7.5	5,5	3"	144		112	110	105	93	73	45
J6U SS10 07/13	13	7.5	5,5	3"	144		121	119	114	101	79	48
J6U SS10 07/14	14	7.5	5,5	3"	144		129	128	122	108	85	52
J6U SS10 10/15	15	10	7,5	3"	144		139	137	131	115	91	56
J6U SS10 10/16	16	10	7,5	3"	144		149	147	140	123	98	60
J6U SS10 10/17	17	10	7,5	3"	144		157	156	148	131	104	63
J6U SS10 10/18	18	10	7,5	3"	144		166	165	157	139	110	66
J6U SS10 10/19	19	10	7,5	3"	144		175	174	166	147	116	70
J6U SS10 10/20	20	10	7,5	3"	144		185	183	175	154	122	74
J6U SS10 10/21	21	10	7,5	3"	144		196	193	184	162	128	78
J6U SS10 12/22	22	12.5	9	3"	144		204	201	190	170	132	81
J6U SS10 12/23	23	12.5	9	3"	144		213	211	202	178	141	85
J6U SS10 12/24	24	12.5	9	3"	144		222	220	210	186	147	89
J6U SS10 12/25	25	12.5	9	3"	144		233	229	219	193	152	93
J6U SS10 12/26	26	12.5	9	3"	144		245	239	228	200	158	97
J6U SS10 15/27	27	15	11	3"	144		252	248	236	208	165	100
J6U SS10 15/28	28	15	11	3"	144		258	257	245	216	172	104
J6U SS10 15/29	29	15	11	3"	144		268	266	254	224	177	107
J6U SS10 17/30	30	17.5	13	3"	144		279	275	263	232	183	111
J6U SS10 17/33	33	17.5	13	3"	144		305	302	290	255	201	122
J6U SS10 17/35	35	17.5	13	3"	144		328	321	309	271	213	130
J6U SS10 20/37	37	20	15	3"	144		342	340	325	286	225	138
J6U SS10 20/39	39	20	15	3"	144		362	358	343	301	238	145
J6U SS10 25/41	41	25	18,5	3"	144		381	376	360	317	250	153
J6U SS10 25/43	43	25	18,5	3"	144		400	394	378	333	262	159
J6U SS10 25/45	45	25	18,5	3"	144		418	413	395	348	275	167
J6U SS10 30/47	47	30	22	3"	144		437	432	413	363	287	174
J6U SS10 30/49	49	30	22	3"	144		455	450	430	379	299	182

J6U SS10 SERIES



J6U SS10 SERIES




J6U SS17 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J6U SS17 1,5/02	MJU 4 OC /1,5-T	1.1	819	414	134	405	95	16.80
J6U SS17 03/03	MJU 4 OC /03-T	2.2	940	480	134	460	95	20.80
J6U SS17 03/04	MJU 4 OC /03-T	2.2	1306	546	134	460	95	22.40
J6U SS17 04/05	MJU 4 OC /04-T	3	1130	612	134	518	95	26.80
J6U SS17 05/06	MJU 4 OC /05-T	4	1258	678	134	580	95	31.00
J6U SS17 05/07	MJU 4 OC /05-T	4	1324	744	134	580	95	33.50
J6U SS17 07/08	MJU 6 WC /07	5.5	1380	810	134	570	145	59.00
J6U SS17 07/09	MJU 6 WC /07	5.5	1446	876	134	570	145	60.50
J6U SS17 07/10	MJU 6 WC /07	5.5	1512	942	134	570	145	62.00
J6U SS17 10/11	MJU 6 WC /10	7.5	1628	1008	134	620	145	68.00
J6U SS17 10/12	MJU 6 WC /10	7.5	1694	1074	134	620	145	69.50
J6U SS17 10/13	MJU 6 WC /10	7.5	1760	1140	134	620	145	71.00
J6U SS17 12/14	MJU 6 WC /12	9	1856	1206	134	650	145	78.50
J6U SS17 12/15	MJU 6 WC /12	9	1922	1272	134	650	145	80.00
J6U SS17 12/16	MJU 6 WC /12	9	1988	1338	134	650	145	81.50
J6U SS17 12/17	MJU 6 WC /12	9	2054	1404	134	650	145	83.00
J6U SS17 15/18	MJU 6 WC /15	11	2170	1470	134	700	145	90.40
J6U SS17 15/19	MJU 6 WC /15	11	2236	1536	134	700	145	92.00
J6U SS17 15/20	MJU 6 WC /15	11	2302	1602	134	700	145	93.60
J6U SS17 17/21	MJU 6 WC /17	13	2418	1668	134	750	145	99.20
J6U SS17 17/22	MJU 6 WC /17	13	2484	1734	134	750	145	100.80
J6U SS17 17/23	MJU 6 WC /17	13	2550	1800	134	750	145	102.40
J6U SS17 17/24	MJU 6 WC /17	13	2616	1866	134	750	145	104.00
J6U SS17 20/25	MJU 6 WC /20	15	2732	1932	134	800	145	107.60
J6U SS17 20/26	MJU 6 WC /20	15	2798	1998	134	800	145	109.20
J6U SS17 20/27	MJU 6 WC /20	15	2864	2064	134	800	145	110.80
J6U SS17 25/28	MJU 6 WC /25	18.5	3000	2130	134	870	145	124.40
J6U SS17 25/29	MJU 6 WC /25	18.5	3066	2196	134	870	145	126.00
J6U SS17 25/30	MJU 6 WC /25	18.5	3132	2262	134	870	145	127.60
J6U SS17 25/31	MJU 6 WC /25	18.5	3198	2328	134	870	145	129.20
J6U SS17 25/32	MJU 6 WC /25	18.5	3264	2394	134	870	145	130.80
J6U SS17 25/33	MJU 6 WC /25	18.5	3330	2460	134	870	145	132.40
J6U SS17 30/34	MJU 6 WC /30	22	3496	2526	134	970	145	146.00
J6U SS17 30/35	MJU 6 WC /30	22	3562	2592	134	970	145	147.60
J6U SS17 30/36	MJU 6 WC /30	22	3628	2658	134	970	145	149.20
J6U SS17 30/37	MJU 6 WC /30	22	3694	2724	134	970	145	150.80
J6U SS17 30/38	MJU 6 WC /30	22	3760	2790	134	970	145	152.40
J6U SS17 30/39	MJU 6 WC /30	22	3826	2856	134	970	145	154.00
J6U SS17 30/40	MJU 6 WC /30	22	3892	2922	134	970	145	155.60
J6U SS17 35/43	MJU 6 WC /35	26	4180	3120	171	1060	145	169.40
J6U SS17 35/45	MJU 6 WC /35	26	4312	3252	171	1060	145	172.60
J6U SS17 35/48	MJU 6 WC /35	26	4510	3450	171	1060	145	177.40
J6U SS17 35/51	MJU 6 WC /35	26	4708	3648	171	1060	145	182.20
J6U SS17 35/53	MJU 6 WC /35	26	4840	3780	171	1060	145	185.40
J6U SS17 40/55	MJU 6 WC /40	30	5052	3912	171	1140	145	211.60
J6U SS17 40/58	MJU 6 WC /40	30	5250	4110	171	1140	145	216.40
J6U SS17 40/60	MJU 6 WC /40	30	5382	4242	171	1140	145	219.60


J6U SS17 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5
		HP	KW				0	7.2	9	10.8	12.6	14.4	16.2	18	19.8
J6U SS17 1,5/02	2	1.5	1.1	3"	131	(Hm)	23	21	20	18	17	14	12	10	8
J6U SS 17 03/03	3	3	2.2	3"	131		32	29	28	26	25	23	20	18	14
J6U SS17 03/04	4	3	2.2	3"	131		44	39	37	35	33	30	27	24	21
J6U SS17 04/05	5	4	3	3"	131		55	49	46	44	41	38	34	30	26
J6U SS17 05/06	6	5.5	4	3"	131		67	59	56	53	49	45	41	37	32
J6U SS17 05/07	7	5.5	4	3"	131		78	70	66	63	58	54	50	44	40
J6U SS17 07/08	8	7.5	5.5	3"	131		89	80	76	73	68	64	58	54	48
J6U SS17 07/09	9	7.5	5.5	3"	131		99	88	84	80	76	70	66	60	54
J6U SS17 07/10	10	7.5	5.5	3"	144		108	98	94	90	84	78	72	66	60
J6U SS17 10/11	11	10	7.5	3"	144		119	108	104	99	94	87	81	75	68
J6U SS17 10/12	12	10	7.5	3"	144		133	119	114	108	102	95	88	81	74
J6U SS17 10/13	13	10	7.5	3"	144		142	127	121	115	109	102	94	87	80
J6U SS17 12/14	14	12.5	9	3"	144		149	137	134	127	120	112	104	96	86
J6U SS17 12/15	15	12.5	9	3"	144		166	150	143	136	128	120	111	102	92
J6U SS17 12/16	16	12.5	9	3"	144		175	160	153	145	137	127	118	107	94
J6U SS17 12/17	17	12.5	9	3"	144		184	170	162	154	144	134	124	112	100
J6U SS17 15/18	18	15	11	3"	144		198	190	184	177	164	156	140	124	108
J6U SS17 15/19	19	15	11	3"	144		208	198	192	185	176	162	148	132	116
J6U SS17 15/20	20	15	11	3"	144		216	208	200	192	180	168	152	136	120
J6U SS17 17/21	21	17.5	13	3"	144		220	212	208	198	186	174	158	140	124
J6U SS17 17/22	22	17.5	13	3"	144		232	224	216	206	192	180	164	148	128
J6U SS17 17/23	23	17.5	13	3"	144		248	238	228	216	204	190	174	154	136
J6U SS17 17/24	24	17.5	13	3"	144		264	246	236	224	210	196	180	162	144
J6U SS17 20/25	25	20	15	3"	144		278	256	246	232	218	204	184	168	148
J6U SS17 20/26	26	20	15	3"	144		288	268	256	242	228	213	194	176	159
J6U SS17 20/27	27	20	15	3"	144		296	276	264	250	236	220	202	182	164
J6U SS17 25/28	28	25	18.5	3"	144		306	288	278	264	248	232	212	190	170
J6U SS17 25/29	29	25	18.5	3"	144		320	300	288	274	256	240	220	200	178
J6U SS17 25/30	30	25	18.5	3"	144		330	312	300	286	268	250	230	208	186
J6U SS17 25/31	31	25	18.5	3"	144		344	326	312	298	280	262	240	216	196
J6U SS17 25/32	32	25	18.5	3"	144		352	334	320	304	288	270	248	224	200
J6U SS17 25/33	33	25	18.5	3"	144		362	344	330	316	296	278	256	230	206
J6U SS17 30/34	34	30	22	3"	144		374	352	340	324	304	284	260	236	212
J6U SS17 30/35	35	30	22	3"	144		384	360	348	330	312	292	268	244	218
J6U SS17 30/36	36	30	22	3"	144		396	374	358	342	322	300	278	250	224
J6U SS17 30/37	37	30	22	3"	144		408	384	368	352	332	312	288	260	236
J6U SS17 30/38	38	30	22	3"	144		418	394	380	364	344	322	296	272	244
J6U SS17 30/39	39	30	22	3"	144		432	410	396	370	355	334	308	280	252
J6U SS17 30/40	40	30	22	3"	144		442	420	406	388	365	344	318	292	264
J6U SS17 35/43	43	35	26	3"	154		456	434	420	402	380	358	332	304	276
J6U SS17 35/45	45	35	26	3"	154		468	444	428	412	392	368	342	312	286
J6U SS17 35/48	48	35	26	3"	154		480	456	440	422	410	376	352	324	296
J6U SS17 40/51	51	40	30	3"	154		496	468	454	440	420	390	362	336	308
J6U SS17 40/53	53	40	30	3"	154		504	480	464	445	435	400	372	344	318
J6U SS17 50/55	55	50	37	3"	154		520	496	481	467	450	425	397	360	320
J6U SS17 50/58	58	50	37	3"	154		534	510	497	482	465	446	410	370	327
J6U SS17 50/60	60	50	37	3"	154		550	525	510	495	477	450	422	382	337

J6U SS17 SERIES



J6U SS17 SERIES




J6U SS30 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J6U SS30 1,5/01	MJU 6 OC /1,5-T	1.1	790	385	135	405	95	15.20
J6U SS30 03/02	MJU 6 OC /03-T	2.2	940	480	135	460	95	19.70
J6U SS30 04/03	MJU 6 OC /04-T	3	1093	575	135	518	95	24.60
J6U SS30 05/04	MJU 6 OC /05-T	4	1250	670	135	580	95	29.80
J6U SS30 07/05	MJU 6 WC /07	5.5	1335	765	135	570	145	55.20
J6U SS30 07/06	MJU 6 WC /07	5.5	1430	860	135	570	145	57.00
J6U SS30 10/07	MJU 6 WC /10	7.5	1575	955	135	620	145	64.50
J6U SS30 10/08	MJU 6 WC /10	7.5	1670	1050	135	620	145	66.50
J6U SS30 12/09	MJU 6 WC /12	9	1795	1145	135	650	145	74.60
J6U SS30 12/10	MJU 6 WC /12	9	1890	1240	135	650	145	76.70
J6U SS30 12/11	MJU 6 WC /12	9	1989	1339	135	650	145	78.80
J6U SS30 15/12	MJU 6 WC /15	11	2135	1435	135	700	145	85.90
J6U SS30 15/13	MJU 6 WC /15	11	2220	1520	135	700	145	88.00
J6U SS30 17/14	MJU 6 WC /17	13	2365	1615	135	750	145	94.10
J6U SS30 17/15	MJU 6 WC /17	13	2460	1710	135	750	145	96.20
J6U SS30 20/16	MJU 6 WC /20	15	2605	1805	135	800	145	100.30
J6U SS30 20/17	MJU 6 WC /20	15	2700	1900	135	800	145	102.40
J6U SS30 25/18	MJU 6 WC /25	18.5	2865	1995	135	870	145	116.50
J6U SS30 25/19	MJU 6 WC /25	18.5	2960	2090	135	870	145	118.60
J6U SS30 25/20	MJU 6 WC /25	18.5	3060	2190	135	870	145	120.70
J6U SS30 25/21	MJU 6 WC /25	18.5	3155	2285	135	870	145	122.80
J6U SS30 30/22	MJU 6 WC /30	22	3350	2380	135	970	145	136.90
J6U SS30 30/23	MJU 6 WC /30	22	3445	2475	135	970	145	139.00
J6U SS30 30/24	MJU 6 WC /30	22	3540	2570	135	970	145	141.10
J6U SS30 30/25	MJU 6 WC /30	22	3635	2665	135	970	145	143.20
J6U SS30 30/26	MJU 6 WC /30	22	3730	2760	135	970	145	145.30
J6U SS30 35/27	MJU 6 WC /35	26	3915	2855	135	1060	145	156.40
J6U SS30 35/28	MJU 6 WC /35	26	4031	2971	135	1060	145	158.50
J6U SS30 35/29	MJU 6 WC /35	26	4127	3067	135	1060	145	160.60
J6U SS30 35/30	MJU 6 WC /35	26	4223	3163	135	1060	145	162.70
J6U SS30 35/31	MJU 6 WC /35	26	4319	3259	135	1060	145	164.80
J6U SS30 40/32	MJU 6 WC /40	30	4495	3355	135	1140	145	189.90
J6U SS30 40/33	MJU 6 WC /40	30	4591	3451	135	1140	145	192.00
J6U SS30 40/34	MJU 6 WC /40	30	4687	3547	135	1140	145	194.10
J6U SS30 40/35	MJU 6 WC /40	30	5139	3999	171	1140	145	236.20
J6U SS30 50/37	MJU 6 WC /50	37	5404	4094	171	1310	145	243.40
J6U SS30 50/39	MJU 6 WC /50	37	5693	4383	171	1310	145	247.60
J6U SS30 50/41	MJU 6 WC /50	37	5788	4478	171	1310	145	251.80
J6U SS30 50/43	MJU 6 WC /50	37	6077	4767	171	1310	145	256.00
J6U SS30 60/46	MJU 8 WC /60	45	6075	5055	171	1020	194	301.30
J6U SS30 60/49	MJU 8 WC /60	45	6363	5343	171	1020	194	307.60
J6U SS30 75/52	MJU 8 WC /75	55	6761	5631	171	1130	194	332.90
J6U SS30 75/54	MJU 8 WC /75	55	6953	5823	171	1130	194	337.10
J6U SS30 75/58	MJU 8 WC /75	55	7048	5918	171	1130	194	345.50
J6U SS30 75/60	MJU 8 WC /75	55	7143	6013	171	1130	194	349.70


J6U SS30 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0
		HP	KW				0	7.2	10.8	14.4	18	21.6	25.2	28.8	32.4	36
J6U SS30 1,5/01	1	1.5	1.1	3"	131	(Hm)	14	13	12	11	10	9	8	7	6	4
J6U SS30 03/02	2	3	2.2	3"	131		23	22	21	20	18	17	15	14	13	11
J6U SS30 04/03	3	4	3	3"	131		34	32	31	29	28	26	24	21	18	15
J6U SS30 05/04	4	5.5	4	3"	131		45	43	41	39	37	34	32	28	25	20
J6U SS30 07/05	5	7.5	5.5	3"	131		56	52	50	48	45	42	38	34	29	25
J6U SS30 07/06	6	7.5	5.5	3"	145		68	66	64	61	57	52	46	41	35	29
J6U SS30 10/07	7	10	7.5	3"	145		79	76	73	70	66	61	55	48	41	33
J6U SS30 10/08	8	10	7.5	3"	145		87	83	81	76	73	68	61	54	46	37
J6U SS30 12/09	9	12.5	9	3"	145		97	93	89	84	80	74	66	58	50	41
J6U SS30 12/10	10	12.5	9	3"	145		110	107	103	97	91	83	75	65	56	44
J6U SS30 12/11	11	12.5	9	3"	145		122	120	116	110	103	95	85	74	63	48
J6U SS30 15/12	12	15	11	3"	145		140	137	133	126	117	107	96	83	69	53
J6U SS30 15/13	13	15	11	3"	145		150	146	141	134	125	115	103	90	76	61
J6U SS30 17/14	14	17.5	13	3"	145		158	154	150	143	134	124	112	97	83	66
J6U SS30 17/15	15	17.5	13	3"	145		164	162	157	150	142	132	119	105	91	74
J6U SS30 20/16	16	20	15	3"	145		181	178	172	165	158	148	140	128	110	90
J6U SS30 20/17	17	20	15	3"	145		197	190	182	174	167	158	148	133	116	94
J6U SS30 25/18	18	25	18.5	3"	145		210	203	198	188	179	168	159	145	127	103
J6U SS30 25/19	19	25	18.5	3"	145		220	216	208	199	189	177	167	152	132	109
J6U SS30 25/20	20	25	18.5	3"	145		230	225	219	209	198	186	173	160	138	113
J6U SS30 25/21	21	25	18.5	3"	145		241	236	228	219	207	193	180	167	145	119
J6U SS30 30/22	22	30	22	3"	145		255	250	239	230	220	207	181	175	155	126
J6U SS30 30/23	23	30	22	3"	145		266	260	250	240	229	217	200	182	160	129
J6U SS30 30/24	24	30	22	3"	145		277	272	260	250	237	226	210	190	166	133
J6U SS30 30/25	25	30	22	3"	145		288	280	270	258	246	230	218	196	170	139
J6U SS30 30/26	26	30	22	3"	145		298	290	280	268	254	240	227	202	175	142
J6U SS30 35/27	27	35	26	3"	145		310	304	292	280	268	252	237	217	188	152
J6U SS30 35/28	28	35	26	3"	145		320	316	303	290	284	260	247	225	193	157
J6U SS30 35/29	29	35	26	3"	145		330	327	313	300	292	270	253	230	199	163
J6U SS30 35/30	30	35	26	3"	145		342	337	322	310	302	277	260	238	204	168
J6U SS30 35/31	31	35	26	3"	145		355	350	335	320	316	287	270	245	210	173
J6U SS30 40/32	32	40	30	3"	154		368	360	348	331	327	299	280	257	222	179
J6U SS30 40/33	33	40	30	3"	154		378	370	358	343	327	310	290	264	229	185
J6U SS30 40/34	34	40	30	3"	154		388	382	368	352	336	316	298	270	235	189
J6U SS30 40/35	35	40	30	3"	154		400	392	378	360	342	325	305	278	242	195
J6U SS30 50/39	39	50	37	3"	154		445	438	422	403	384	364	345	314	275	222
J6U SS30 50/43	43	50	37	3"	154		490	480	464	450	420	400	377	343	300	240
J6U SS30 60/46	46	60	45	3"	193		530	527	508	487	464	440	412	382	338	278
J6U SS30 60/49	49	60	45	3"	193		566	560	538	518	491	460	441	404	358	293
J6U SS30 75/52	52	75	55	3"	193		604	598	577	552	528	500	473	434	383	315
J6U SS30 75/54	54	75	55	3"	193		627	620	598	572	548	520	480	450	400	327
J6U SS30 75/58	58	75	55	3"	193		660	650	630	605	575	540	498	450	400	340
J6U SS30 75/60	60	75	55	3"	193		680	670	650	626	595	560	515	468	414	358

J6U SS30 SERIES



J6U SS30 SERIES




J6U SS46 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J6U SS46 03/01	MJU 4 OC /03-T	2.2	855	395	145	460	95	19.20
J6U SS46 04/02	MJU 4 OC /04-T	3	1027	509	145	518	95	24.50
J6U SS46 07/03	MJU 6 WC /07	5.5	1190	620	145	570	145	53.50
J6U SS46 10/04	MJU 6 WC /10	7.5	1350	730	145	620	145	61.00
J6U SS46 10/05	MJU 6 WC /10	7.5	1465	845	145	620	145	63.50
J6U SS46 12/06	MJU 6 WC /12	9	1605	955	145	650	145	72.00
J6U SS46 15/07	MJU 6 WC /15	11	1770	1070	145	700	145	79.50
J6U SS46 17/08	MJU 6 WC /17	13	1930	1180	145	750	145	86.00
J6U SS46 20/09	MJU 6 WC /20	15	2095	1295	145	800	145	90.50
J6U SS46 20/10	MJU 6 WC /20	15	2203	1403	145	800	145	93.00
J6U SS46 25/11	MJU 6 WC /25	18.5	2385	1515	145	870	145	107.50
J6U SS46 25/12	MJU 6 WC /25	18.5	2497	1627	145	870	145	110.00
J6U SS46 30/13	MJU 6 WC /30	22	2710	1740	145	970	145	124.50
J6U SS46 30/14	MJU 6 WC /30	22	2821	1851	145	970	145	127.00
J6U SS46 30/15	MJU 6 WC /30	22	2993	1963	145	970	145	129.50
J6U SS46 35/16	MJU 6 WC /35	26	3135	2075	145	1060	145	141.00
J6U SS46 35/17	MJU 6 WC /35	26	3247	2187	145	1060	145	143.50
J6U SS46 40/18	MJU 6 WC /40	30	3439	2299	145	1140	145	169.50
J6U SS46 40/19	MJU 6 WC /40	30	3551	2411	145	1140	145	171.50
J6U SS46 40/20	MJU 6 WC /40	30	3663	2523	145	1140	145	174.00
J6U SS46 50/21	MJU 6 WC /50	37	3945	2635	145	1310	145	179.50
J6U SS46 50/22	MJU 6 WC /50	37	4057	2747	145	1310	145	182.00
J6U SS46 50/23	MJU 6 WC /50	37	4169	2859	145	1310	145	184.50
J6U SS46 50/24	MJU 6 WC /50	37	4281	2971	145	1310	145	187.00
J6U SS46 60/25	MJU 8 WC /60	45	4459	3439	171	1020	193	268.50
J6U SS46 60/26	MJU 8 WC /60	45	4571	3551	171	1020	193	271.00
J6U SS46 60/27	MJU 8 WC /60	45	4683	3663	171	1020	193	273.50
J6U SS46 60/28	MJU 8 WC /60	45	4795	3775	171	1020	193	276.00
J6U SS46 60/29	MJU 8 WC /60	45	4907	3887	171	1020	193	278.50
J6U SS46 60/30	MJU 8 WC /60	45	5019	3999	171	1020	193	281.00
J6U SS46 75/31	MJU 8 WC /75	55	5241	4111	171	1130	193	302.50
J6U SS46 75/32	MJU 8 WC /75	55	5353	4223	171	1130	193	305.00
J6U SS46 75/33	MJU 8 WC /75	55	5465	4335	171	1130	193	307.50
J6U SS46 75/34	MJU 8 WC /75	55	5577	4447	171	1130	193	310.00
J6U SS46 75/35	MJU 8 WC /75	55	5689	4559	171	1130	193	312.50
J6U SS46 85/36	MJU 8 WC /85	63	5881	4671	171	1210	193	329.00
J6U SS46 85/37	MJU 8 WC /85	63	5993	4783	171	1210	193	331.50
J6U SS46 85/38	MJU 8 WC /85	63	6107	4897	171	1210	193	334.00
J6U SS46 85/39	MJU 8 WC /85	63	6221	5011	171	1210	193	336.50


J6U SS46 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	3.0	5.0	8.0	10.0	11.0	12.0	13.0	14.0	15.0
		HP	KW				0	10.8	18	28.8	36	39.6	43.2	46.8	50.5	54
J6U SS46 03/01	1	3	2.2	3"-4"	141	(Hm)	17	16	15	14	12	11	10	9	8	7
J6U SS46 04/02	2	4	3	3"-4"	141		26	25	24	20	18	16	15	14	13	10
J6U SS46 07/03	3	7.5	5.5	3"-4"	145		50	49	46	41	36	34	30	27	24	20
J6U SS46 10/04	4	10	7.5	3"-4"	145		62	60	58	52	48	46	42	40	36	33
J6U SS46 10/05	5	10	7.5	3"-4"	145		74	72	70	63	57	54	50	48	44	40
J6U SS46 12/06	6	12.5	9	3"-4"	145		88	84	79	72	66	63	59	57	52	48
J6U SS46 15/07	7	15	11	3"-4"	145		98	95	91	82	76	72	68	64	60	54
J6U SS46 17/08	8	17.5	13	3"-4"	145		114	110	106	97	89	84	78	73	69	62
J6U SS46 20/09	9	20	15	3"-4"	145		124	120	115	104	96	91	84	80	75	68
J6U SS46 20/10	10	20	15	3"-4"	145		136	129	123	110	102	96	90	87	81	74
J6U SS46 25/11	11	25	18.5	3"-4"	145		150	142	135	123	112	107	101	97	91	84
J6U SS46 25/12	12	25	18.5	3"-4"	145		174	164	156	140	128	122	114	110	104	95
J6U SS46 30/13	13	30	22	3"-4"	145		183	174	165	149	137	130	122	117	108	100
J6U SS46 30/14	14	30	22	3"-4"	145		194	183	174	157	144	136	128	121	114	104
J6U SS46 30/15	15	30	22	3"-4"	145		206	198	188	169	156	148	138	133	124	112
J6U SS46 35/16	16	35	26	3"-4"	145		215	210	202	184	170	160	150	140	130	120
J6U SS46 35/17	17	35	26	3"-4"	145		232	226	219	198	180	173	160	150	138	125
J6U SS46 40/18	18	40	30	3"-4"	145		244	240	230	208	190	181	170	157	145	134
J6U SS46 40/19	19	40	30	3"-4"	145		248	246	240	218	200	190	178	166	158	136
J6U SS46 40/20	20	40	30	3"-4"	145		255	254	245	223	205	195	183	170	160	142
J6U SS46 50/21	21	50	37	3"-4"	193		263	260	251	228	210	200	187	176	165	146
J6U SS46 50/22	22	50	37	3"-4"	193		272	269	259	236	218	207	195	182	170	153
J6U SS46 50/23	23	50	37	3"-4"	193		280	276	265	240	223	212	198	185	175	156
J6U SS46 50/24	24	50	37	3"-4"	193		294	287	275	250	229	220	203	190	180	160
J6U SS46 60/25	25	60	45	3"-4"	193		307	297	285	258	238	225	210	195	185	165
J6U SS46 60/26	26	60	45	3"-4"	193		318	307	295	266	245	237	215	200	190	170
J6U SS46 60/27	27	60	45	3"-4"	193		336	320	306	275	254	240	225	205	200	175
J6U SS46 60/28	28	60	45	3"-4"	193		350	339	325	290	270	255	238	215	208	183
J6U SS46 60/29	29	60	45	3"-4"	193		365	350	335	303	279	265	246	223	220	190
J6U SS46 60/30	30	60	45	3"-4"	193		379	364	345	310	286	273	255	230	225	198
J6U SS46 75/31	31	75	55	3"-4"	193		395	375	356	320	295	280	262	240	231	205
J6U SS46 75/32	32	75	55	3"-4"	193		405	388	369	330	305	290	273	250	243	215
J6U SS46 75/33	33	75	55	3"-4"	193		430	408	388	348	322	305	288	263	255	224
J6U SS46 75/34	34	75	55	3"-4"	193		450	426	405	366	337	323	304	280	270	238
J6U SS46 75/35	35	75	55	3"-4"	193		470	447	425	383	354	335	315	300	282	255
J6U SS46 85/36	36	85	63	3"-4"	193		490	460	435	393	363	340	324	308	290	270
J6U SS46 85/37	37	85	63	3"-4"	193		505	475	450	404	375	356	335	320	300	280
J6U SS46 85/38	38	85	63	3"-4"	193		515	485	460	416	388	375	355	330	310	290
J6U SS46 85/39	39	85	63	3"-4"	193		525	500	467	426	398	384	365	340	320	300

J6U SS46 SERIES



J6U SS46 SERIES




J6U SS60 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J6U SS60 03/01	MJU 4 OC /03-T	2.2	860	400	145	460	95	19.30
J6U SS60 05/02	MJU 4 OC /05-T	4	1090	510	145	580	95	27.70
J6U SS60 07/03	MJU 6 WC /07	5.5	1190	620	145	570	145	53.60
J6U SS60 10/04	MJU 6 WC /10	7.5	1350	730	145	620	145	61.10
J6U SS60 12/05	MJU 6 WC /12	9	1500	850	145	650	145	69.60
J6U SS60 15/06	MJU 6 WC /15	11	1660	960	145	700	145	77.10
J6U SS60 17/07	MJU 6 WC /17	13	1820	1070	145	750	145	83.60
J6U SS60 20/08	MJU 6 WC /20	15	1990	1190	145	800	145	88.10
J6U SS60 25/09	MJU 6 WC /25	18.5	2170	1300	145	870	145	102.60
J6U SS60 25/10	MJU 6 WC /25	18.5	2280	1410	145	870	145	105.10
J6U SS60 30/11	MJU 6 WC /30	22	2490	1520	145	970	145	119.60
J6U SS60 30/12	MJU 6 WC /30	22	2610	1640	145	970	145	122.10
J6U SS60 35/13	MJU 6 WC /35	26	2815	1755	145	1060	145	133.60
J6U SS60 35/14	MJU 6 WC /35	26	2930	1870	145	1060	145	136.10
J6U SS60 35/15	MJU 6 WC /35	26	3045	1985	145	1060	145	141.60
J6U SS60 40/16	MJU 6 WC /40	30	3240	2100	145	1140	145	164.10
J6U SS60 40/17	MJU 6 WC /40	30	3330	2190	145	1140	145	166.60
J6U SS60 50/18	MJU 6 WC /50	37	3612	2302	145	1310	145	172.10
J6U SS60 50/19	MJU 6 WC /50	37	3724	2414	145	1310	145	174.60
J6U SS60 50/20	MJU 6 WC /50	37	3836	2526	145	1310	145	177.10
J6U SS60 50/21	MJU 6 WC /50	37	3948	2638	145	1310	145	179.60
J6U SS60 60/22	MJU 8 WC /60	45	3770	2750	145	1020	193	221.10
J6U SS60 60/23	MJU 8 WC /60	45	3882	2862	145	1020	193	223.60
J6U SS60 60/24	MJU 8 WC /60	45	3994	2974	145	1020	193	226.10
J6U SS60 75/25	MJU 8 WC /75	55	4216	3086	145	1130	193	247.60
J6U SS60 75/26	MJU 8 WC /75	55	4328	3198	145	1130	193	250.10
J6U SS60 75/27	MJU 8 WC /75	55	4440	3310	145	1130	193	252.60
J6U SS60 75/28	MJU 8 WC /75	55	4552	3422	145	1130	193	255.10
J6U SS60 75/29	MJU 8 WC /75	55	4664	3534	145	1130	193	257.60
J6U SS60 75/30	MJU 8 WC /75	55	4776	3646	145	1130	193	260.10


J6U SS60 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	3.0	5.0	8.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0
		HP	KW				0	10.8	18	28.8	36	39.6	43.2	46.8	50.4	54	57.6	61.2	64.8
J6U SS60 03/01	1	3	2.2	3"-4"	145	(Hm)	14	13	12	11	10	9	8	7	6	5	4	3	2
J6U SS60 05/02	2	5.5	4	3"-4"	145		27	25	24	21	20	18	17	16	15	14	13	12	11
J6U SS60 07/03	3	7.5	5.5	3"-4"	145		45	44	43	39	36	34	32	30	28	26	23	20	18
J6U SS60 10/04	4	10	7.5	3"-4"	145		59	58	57	54	50	48	45	42	39	35	32	28	24
J6U SS60 12/05	5	12.5	9	3"-4"	145		75	74	72	66	60	58	54	51	48	43	39	34	30
J6U SS60 15/06	6	15	11	3"-4"	145		89	88	86	79	73	69	65	61	59	53	48	43	38
J6U SS60 17/07	7	17.5	13	3"-4"	145		104	101	96	87	79	75	70	66	62	56	52	46	40
J6U SS60 20/08	8	20	15	3"-4"	145		120	114	107	98	88	84	79	74	70	63	58	51	44
J6U SS60 25/09	9	25	18.5	3"-4"	145		132	125	119	107	98	93	87	82	78	70	65	58	50
J6U SS60 25/10	10	25	18.5	3"-4"	145		145	139	131	119	110	104	92	90	87	79	73	62	56
J6U SS60 30/11	11	30	22	3"-4"	145		150	145	140	126	115	110	103	96	92	82	75	66	58
J6U SS60 30/12	12	30	22	3"-4"	145		170	164	157	141	131	125	110	108	105	95	89	78	69
J6U SS60 35/13	13	35	26	3"-4"	145		190	182	175	158	145	138	130	120	115	105	96	87	75
J6U SS60 35/14	14	35	26	3"-4"	145		207	199	190	172	158	150	140	134	128	115	105	95	82
J6U SS60 35/15	15	35	26	3"-4"	145		222	211	203	182	169	160	150	141	135	122	111	100	89
J6U SS60 40/16	16	40	30	3"-4"	145		235	225	216	195	180	170	160	150	145	130	119	106	95
J6U SS60 40/17	17	40	30	3"-4"	145		250	238	229	206	189	180	169	158	150	136	125	110	98
J6U SS60 50/18	18	50	37	3"-4"	193		264	252	240	219	200	188	177	165	157	141	131	116	104
J6U SS60 50/19	19	50	37	3"-4"	193		276	259	249	224	206	195	183	172	165	148	137	125	109
J6U SS60 50/20	20	50	37	3"-4"	193		284	265	256	230	211	200	190	179	170	156	144	130	115
J6U SS60 50/21	21	50	37	3"-4"	193		298	280	267	240	220	209	198	185	178	161	150	135	120
J6U SS60 60/22	22	60	45	3"-4"	193		314	295	281	251	231	222	209	196	189	174	160	145	130
J6U SS60 60/23	23	60	45	3"-4"	193		330	311	295	266	244	233	220	207	198	182	168	153	136
J6U SS60 60/24	24	60	45	3"-4"	193		340	322	307	275	254	240	229	215	207	189	175	160	144
J6U SS60 75/25	25	75	55	3"-4"	193		350	333	318	287	266	253	240	227	219	200	185	170	154
J6U SS60 75/26	26	75	55	3"-4"	193		360	340	327	295	275	265	249	235	225	208	190	178	160
J6U SS60 75/27	27	75	55	3"-4"	193		369	350	336	306	284	270	258	244	235	217	202	185	170
J6U SS60 75/28	28	75	55	3"-4"	193		376	360	345	315	293	282	267	252	245	226	210	195	176
J6U SS60 75/29	29	75	55	3"-4"	193		390	369	355	321	300	288	275	260	250	232	215	200	182
J6U SS60 75/30	30	75	55	3"-4"	193		403	380	365	332	311	296	285	270	260	240	225	210	190

J6U SS60 SERIES



J6U SS60 SERIES




J7U SS77 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J7U SS77 07/01	MJU 6 WC /07	5.5	1132	562	171	570	145	61.00
J7U SS77 10/02	MJU 6 WC /10	7.5	1310	590	171	620	145	70.00
J7U SS77 15/03	MJU 6 WC /15	11	1510	810	171	700	145	85.00
J7U SS77 20/04	MJU 6 WC /20	15	1740	940	171	800	145	95.00
J7U SS77 25/05	MJU 6 WC /25	18.5	1940	1070	171	870	145	111.00
J7U SS77 30/06	MJU 6 WC /30	22	2170	1200	171	970	145	127.00
J7U SS77 35/07	MJU 6 WC /35	26	2390	1330	171	1060	145	140.00
J7U SS77 40/08	MJU 6 WC /40	30	2590	1450	171	1140	145	168.90
J7U SS77 40/09	MJU 6 WC /40	30	2740	1600	171	1140	145	172.90
J7U SS77 50/10	MJU 6 WC /50	37	3075	1765	171	1310	145	179.90
J7U SS77 50/11	MJU 6 WC /50	37	3203	1893	171	1310	145	183.90
J7U SS77 60/12	MJU 8 WC /60	45	3041	2021	191	1020	193	228.20
J7U SS77 75/13	MJU 8 WC /75	55	3273	2149	191	1130	193	251.20
J7U SS77 75/14	MJU 8 WC /75	55	3407	2277	191	1130	193	255.20
J7U SS77 75/15	MJU 8 WC /75	55	3535	2405	191	1130	193	259.20
J7U SS77 85/16	MJU 8 WC /85	63	3743	2533	191	1210	193	277.20
J7U SS77 85/17	MJU 8 WC /85	63	3871	2661	191	1210	193	281.20
J7U SS77 90/18	MJU 8 WC /90	67	4049	2789	191	1260	193	287.20
J7U SS77 100/19	MJU 8 WC /100	75	4282	2917	191	1365	193	313.20
J7U SS77 100/20	MJU 8 WC /100	75	4410	3045	191	1365	193	317.20
J7U SS77 100/21	MJU 8 WC /100	75	4538	3173	191	1365	193	321.20
J7U SS77 125/22	MJU 8 WC /125	92	4831	3301	191	1530	193	351.20
J7U SS77 125/23	MJU 8 WC /125	92	4859	3329	191	1530	193	355.20
J7U SS77 125/24	MJU 8 WC /125	92	4887	3357	191	1530	193	359.20


J7U SS77 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	5.0	10.0	15.0	16.0	17.0	18.0	19.0	20.0	22.0
		HP	KW				0	18	36	54	57.6	61.2	64.8	68.4	72	79.2
J7U SS77 07/01	1	7.5	5.5	5"	175	(Hm)	19	18	16	12	11	10	9	8	7	4
J7U SS77 10/02	2	10	7.5	5"	175		47	46	42	36	35	33	31	30	28	24
J7U SS77 15/03	3	15	11	5"	175		64	61	56	48	47	44	42	41	38	34
J7U SS77 20/04	4	20	15	5"	175		82	81	75	64	61	58	55	52	48	41
J7U SS77 25/05	5	25	18.5	5"	175		96	94	86	75	71	69	66	64	59	53
J7U SS77 30/06	6	30	22	5"	175		118	113	103	90	87	84	81	78	74	68
J7U SS77 35/07	7	35	26	5"	175		135	133	124	110	106	102	98	95	89	82
J7U SS77 40/08	8	40	30	5"	175		159	154	142	125	121	115	111	107	102	92
J7U SS77 40/09	9	40	30	5"	175		182	174	160	139	135	128	123	119	112	102
J7U SS77 50/10	10	50	37	5"	193		215	202	182	156	150	144	139	133	125	111
J7U SS77 50/11	11	50	37	5"	193		232	215	194	165	161	156	146	141	135	120
J7U SS77 60/12	12	60	45	5"	193		240	226	204	175	170	162	155	147	140	125
J7U SS77 75/13	13	75	55	5"	193		260	245	220	190	185	175	170	163	155	140
J7U SS77 75/14	14	75	55	5"	193		275	264	240	208	201	192	185	176	168	150
J7U SS77 75/15	15	75	55	5"	193		292	280	259	225	218	210	200	193	184	165
J7U SS77 85/16	16	85	63	5"	193		315	304	278	242	232	224	215	205	197	175
J7U SS77 85/17	17	85	63	5"	193		333	319	292	253	245	235	225	215	204	184
J7U SS77 90/18	18	90	67	5"	193		348	334	304	263	255	243	232	224	211	188
J7U SS77 100/19	19	100	75	5"	193		365	352	324	285	278	265	258	247	236	214
J7U SS77 100/20	20	100	75	5"	193		380	373	348	308	297	286	277	266	256	232
J7U SS77 100/21	21	100	75	5"	193		400	390	364	326	315	305	294	283	273	250
J7U SS77 125/22	22	125	92	5"	193		419	410	384	345	335	328	312	303	286	270
J7U SS77 125/23	23	125	92	5"	193		435	428	400	358	346	340	328	314	307	285
J7U SS77 125/24	24	125	92	5"	193		452	440	415	374	365	356	345	335	323	303

J7U SS77 SERIES



J7U SS77 SERIES




J7U SS95 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J7U SS95 07/01	MJU 6 WC/07	5.5	1130	560	171	570	145	61.00
J7U SS95 12/02	MJU 6 WC/12	9	1340	690	171	650	145	76.00
J7U SS95 17/03	MJU 6 WC/17	13	1560	810	171	750	145	89.00
J7U SS95 25/04	MJU 6 WC/25	18.5	1810	940	171	870	145	107.00
J7U SS95 30/05	MJU 6 WC/30	22	2044	1074	171	970	145	123.00
J7U SS95 35/06	MJU 6 WC/35	26	2260	1200	171	1060	145	136.00
J7U SS95 40/07	MJU 6 WC/40	30	2470	1330	171	1140	145	163.00
J7U SS95 50/08	MJU 6 WC/50	37	2804	1494	171	1310	145	171.90
J7U SS95 50/09	MJU 6 WC/50	37	2925	1615	171	1310	145	175.90
J7U SS95 60/10	MJU 8 WC/60	45	2785	1765	191	1020	193	220.20
J7U SS95 75/11	MJU 8 WC/75	55	3023	1893	191	1130	193	243.20
J7U SS95 75/12	MJU 8 WC/75	55	3151	2021	191	1130	193	247.20
J7U SS95 75/13	MJU 8 WC/75	55	3279	2149	191	1130	193	251.20
J7U SS95 85/14	MJU 8 WC/85	63	3487	2277	191	1210	193	269.20
J7U SS95 100/15	MJU 8 WC/100	75	3765	2405	191	1360	193	297.20
J7U SS95 100/16	MJU 8 WC/100	75	3893	2533	191	1360	193	301.20
J7U SS95 100/17	MJU 8 WC/100	75	4021	2661	191	1360	193	305.20
J7U SS95 125/18	MJU 8 WC/125	92	4319	2789	191	1530	193	335.20
J7U SS95 125/19	MJU 8 WC/125	92	4447	2917	191	1530	193	339.20
J7U SS95 125/20	MJU 8 WC/125	92	4575	3045	191	1530	193	343.20
J7U SS95 125/21	MJU 8 WC/125	92	4605	3075	191	1530	193	347.20
J7U SS95 125/22	MJU 8 WC/125	92	4635	3105	191	1530	193	351.20


J7U SS95 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	5.0	10.0	15.0	18.0	20.0	22	25	27	30
		HP	KW				0	18	36	54	64.8	72	79.2	90	97.2	108
J7U SS95 07/01	1	7.5	5.5	5"	175	(Hm)	21	20	19	18	17	16	14	12	10	9
J7U SS95 12/02	2	12.5	9	5"	175		44	42	39	36	31	30	26	23	20	16
J7U SS95 17/03	3	17.5	13	5"	175		63	62	61	57	53	49	46	39	35	28
J7U SS95 25/04	4	25	18.5	5"	175		86	84	78	71	65	60	56	49	44	36
J7U SS95 30/05	5	30	22	5"	175		108	104	97	86	79	74	68	59	52	42
J7U SS95 35/06	6	35	26	5"	175		122	120	114	104	96	90	83	72	64	50
J7U SS95 40/07	7	40	30	5"	175		158	152	139	124	113	106	98	85	76	62
J7U SS95 50/08	8	50	37	5"	193		178	169	156	139	128	120	112	88	78	72
J7U SS95 50/09	9	50	37	5"	193		192	185	170	152	139	132	120	106	95	78
J7U SS95 60/10	10	60	45	5"	193		211	200	185	165	152	144	131	116	105	87
J7U SS95 75/11	11	75	55	5"	193		225	215	198	179	165	154	143	125	112	94
J7U SS95 75/12	12	75	55	5"	193		253	240	222	198	183	172	157	138	124	103
J7U SS95 75/13	13	75	55	5"	193		270	258	240	216	197	187	172	150	135	110
J7U SS95 85/14	14	85	63	5"	193		295	280	258	231	213	201	185	160	145	120
J7U SS95 100/15	15	100	75	5"	193		306	292	270	243	225	213	195	173	155	128
J7U SS95 100/16	16	100	75	5"	193		315	305	284	258	240	227	210	185	165	137
J7U SS95 100/17	17	100	75	5"	193		341	326	302	273	250	238	218	192	175	145
J7U SS95 125/18	18	125	92	5"	193		370	348	318	284	260	246	227	200	180	150
J7U SS95 125/19	19	125	92	5"	193		380	364	336	302	277	257	240	214	192	158
J7U SS95 125/20	20	125	92	5"	193		390	374	347	313	290	274	255	225	202	162
J7U SS95 125/21	21	125	92	5"	193		410	394	364	326	300	282	260	230	206	167
J7U SS95 125/22	22	125	92	5"	193		440	415	385	346	316	298	275	242	220	170

J7U SS95 SERIES



J7U SS95 SERIES




J8U SS135 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J8U SS135 10/01-1	MJU 6 WC /10	7.5	1286	666	210	620	145	78.00
J8U SS135 15/01	MJU 6 WC /15	11	1366	666	210	700	145	89.00
J8U SS135 17/02-2	MJU 6 WC /17	13	1572	822	210	750	145	100.00
J8U SS135 25/02-1	MJU 6 WC /25	18.5	1692	822	210	870	145	114.00
J8U SS135 30/02	MJU 6 WC /30	22	1792	822	210	970	145	126.00
J8U SS135 30/03-2	MJU 6 WC /30	22	1948	978	210	970	145	133.00
J8U SS135 40/03-1	MJU 6 WC /40	30	2118	978	210	1140	145	165.00
J8U SS135 50/03	MJU 8 WC /50	37	1928	978	210	950	193	186.10
J8U SS135 50/04-2	MJU 8 WC /50	37	2084	1134	210	950	193	193.40
J8U SS135 60/04-1	MJU 8 WC /60	45	2154	1134	210	1020	193	215.40
J8U SS135 60/04	MJU 8 WC /60	45	2154	1134	210	1020	193	215.40
J8U SS135 60/05-2	MJU 8 WC /60	45	2310	1230	210	1020	193	223.10
J8U SS135 60/05-1	MJU 8 WC /60	45	2310	1290	210	1020	193	223.10
J8U SS135 75/05	MJU 8 WC /75	55	2420	1290	210	1130	193	242.10
J8U SS135 75/06-2	MJU 8 WC /75	55	2576	1446	210	1130	193	249.40
J8U SS135 75/06-1	MJU 8 WC /75	55	2576	1446	210	1130	193	249.40
J8U SS135 85/06	MJU 8 WC /85	63	2656	1446	210	1210	193	263.40
J8U SS135 90/07-1	MJU 8 WC /90	67	2862	1602	210	1260	193	272.70
J8U SS135 100/07	MJU 8 WC /100	75	2967	1602	210	1365	193	294.70
J8U SS135 100/08-2	MJU 8 WC /100	75	3123	1758	210	1365	193	302.00
J8U SS135 100/08-1	MJU 8 WC /100	75	3123	1758	210	1365	193	302.00
J8U SS135 110/08	MJU 8 WC /110	81	3198	1758	210	1440	193	305.00
J8U SS135 125/09-2	MJU 8 WC /125	92	3444	1914	210	1530	193	335.30
J8U SS135 125/09-1	MJU 8 WC /125	92	3444	1914	210	1530	193	335.30
J8U SS135 125/09	MJU 8 WC /125	92	3444	1914	210	1530	193	335.30
J8U SS135 150/10-2	MJU 8 WC /150	110	3660	2070	210	1590	193	367.60
J8U SS135 150/10-1	MJU 8 WC /150	110	3360	2070	210	1590	193	367.60
J8U SS135 150/10	MJU 8 WC /150	110	3660	2070	210	1590	193	367.60
J8U SS135 150/11	MJU 8 WC /150	110	3810	2220	210	1590	193	374.90
J8U SS135 180/12	MJU 10 WC /180	130	4030	2380	210	1650	240	510.20
J8U SS135 180/13	MJU 10 WC /180	130	4190	2540	210	1650	240	517.50
J8U SS135 200/14	MJU 10 WC /200	150	4450	2700	210	1750	240	546.80
J8U SS135 200/15	MJU 10 WC /200	150	4600	2850	210	1750	240	554.10
J8U SS135 200/16	MJU 10 WC /200	150	4756	3006	210	1750	240	561.40
J8U SS135 200/17	MJU 10 WC /200	150	4912	3162	210	1750	240	568.70
J8U SS135 200/18	MJU 10 WC /200	150	5068	3318	210	1750	240	576.00


J8U SS135 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	10.0	15.0	20.0	25.0	30.0	35.0	40.0	42.0
		HP	KW				0	36	54	72	90	108	126	144	151.2
J8U SS135 10/01-1	1	10	7.5	6"	210	(Hm)	24	23	22	21	18	16	13	10	8
J8U SS135 15/01	1	15	11	6"	210		39	37	34	31	28	25	21	17	12
J8U SS135 17/02-2	2	17.5	13	6"	210		53	50	47	42	38	32	27	20	18
J8U SS135 25/02-1	2	25	18.5	6"	210		60	57	54	50	45	38	32	25	22
J8U SS135 30/02	2	30	22	6"	210		65	63	60	56	52	45	40	32	28
J8U SS135 30/03-2	3	30	22	6"	210		79	76	72	66	61	54	46	37	34
J8U SS135 40/03-1	3	40	30	6"	210		93	88	83	77	70	62	53	45	41
J8U SS135 50/03	3	50	37	6"	210		105	100	94	88	82	72	64	52	48
J8U SS135 50/04-2	4	50	37	6"	210		113	108	104	96	88	80	72	59	55
J8U SS135 60/04-1	4	60	45	6"	210		120	115	110	104	96	86	78	64	60
J8U SS135 60/04	4	60	45	6"	210		125	120	114	108	101	90	82	68	64
J8U SS135 60/05-2	5	60	45	6"	210		137	133	127	119	110	100	90	75	70
J8U SS135 60/05-1	5	60	45	6"	210		144	140	136	128	121	110	100	82	76
J8U SS135 75/05	5	75	55	6"	210		152	148	144	136	128	116	106	88	82
J8U SS135 75/06-2	6	75	55	6"	210		158	157	152	144	134	124	111	92	86
J8U SS135 75/06-1	6	75	55	6"	210		167	164	158	150	140	127	116	98	92
J8U SS135 85/06	6	85	63	6"	210		220	190	178	165	152	135	120	102	95
J8U SS135 90/07-1	7	90	67	6"	210		215	202	190	175	160	144	128	107	100
J8U SS135 100/07	7	100	75	6"	210		230	212	198	184	167	150	135	114	106
J8U SS135 100/08-2	8	100	75	6"	210		240	223	210	195	178	160	145	123	114
J8U SS135 100/08-1	8	100	75	6"	210		248	232	218	202	186	168	150	128	118
J8U SS135 110/08	8	110	81	6"	210		255	240	225	210	193	175	158	135	123
J8U SS135 125/09-2	9	125	92	6"	210		264	248	235	218	200	180	164	138	126
J8U SS135 125/09-1	9	125	92	6"	210		273	253	243	226	208	187	170	143	130
J8U SS135 125/09	9	125	92	6"	210		279	261	246	232	215	195	178	150	137
J8U SS135 150/10-2	10	150	110	6"	210		288	270	255	240	223	204	185	155	141
J8U SS135 150/10-1	10	150	110	6"	210		305	285	270	254	236	215	195	162	147
J8U SS135 150/10	10	150	110	6"	210		318	300	284	265	245	225	203	170	154
J8U SS135 150/11	11	150	110	6"	210		345	325	308	288	267	245	224	190	175
J8U SS135 180/12	12	180	130	6"	210		370	350	333	314	290	265	244	208	192
J8U SS135 180/13	13	180	130	6"	210		390	375	358	340	315	290	264	226	208
J8U SS135 200/14	14	200	150	6"	210		420	405	388	370	344	315	287	247	227
J8U SS135 200/15	15	200	150	6"	210		454	437	415	395	366	335	308	270	250
J8U SS135 230/16	16	230	170	6"	210		474	455	436	415	386	355	328	285	265
J8U SS135 230/17	17	230	170	6"	210		493	477	458	435	408	375	350	305	283
J8U SS135 250/18	18	250	185	6"	210		510	497	475	455	425	392	364	316	295

J8U SS135 SERIES



J8U SS135 SERIES




J8U SS160 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J8U SS160 17/01	MJU 6 WC /17	13	1416	666	210	750	145	93.10
J8U SS160 25/02-2	MJU 6 WC /25	18.5	1692	822	210	870	145	114.40
J8U SS160 30/02-1	MJU 6 WC /30	22	1792	822	210	970	145	126.40
J8U SS160 35/02	MJU 6 WC /35	26	1882	822	210	1060	145	135.40
J8U SS160 40/03-2	MJU 6 WC /40	30	2118	978	210	1140	145	165.70
J8U SS160 50/03-1	MJU 6 WC /50	37	2288	978	210	1310	145	168.70
J8U SS160 50/03	MJU 6 WC /50	37	2288	978	210	1310	145	168.70
J8U SS160 60/04-2	MJU 8 WC /60	45	2154	1194	210	1020	193	216.10
J8U SS160 60/04-1	MJU 8 WC /60	45	2154	1134	210	1020	193	216.10
J8U SS160 75/04	MJU 8 WC /75	55	2264	1134	210	1130	193	235.10
J8U SS160 75/05-2	MJU 8 WC /75	55	2420	1290	210	1130	193	242.40
J8U SS160 75/05-1	MJU 8 WC /75	55	2420	1290	210	1130	193	242.40
J8U SS160 85/05	MJU 8 WC /85	63	2500	1290	210	1210	193	256.40
J8U SS160 85/06-2	MJU 8 WC /85	63	2650	1440	210	1210	193	263.70
J8U SS160 100/06-1	MJU 8 WC /100	75	2805	1440	210	1365	193	287.70
J8U SS160 100/06	MJU 8 WC /100	75	2805	1440	210	1365	193	287.70
J8U SS160 125/07-1	MJU 8 WC /125	92	3132	1602	210	1530	193	321.00
J8U SS160 125/07	MJU 8 WC /125	92	3132	1602	210	1530	193	321.00
J8U SS160 125/08	MJU 8 WC /125	92	3288	1758	210	1530	193	328.30
J8U SS160 150/09	MJU 8 WC /150	110	3504	1914	210	1590	193	360.60
J8U SS160 180/10	MJU 10 WC /180	130	3720	2070	210	1650	240	495.90
J8U SS160 180/11	MJU 10 WC /180	130	3876	2226	210	1650	240	503.20
J8U SS160 200/12	MJU 10 WC /200	150	4132	2382	210	1750	240	532.50
J8U SS160 250/13	MJU 10 WC /250	185	4548	2538	210	2010	240	599.80
J8U SS160 250/14	MJU 10 WC /250	185	4704	2694	210	2010	240	607.10
J8U SS160 250/15	MJU 10 WC /250	185	4860	2850	210	2010	240	614.40
J8U SS160 250/16	MJU 10 WC /250	185	5016	3006	210	2010	240	621.70
J8U SS160 250/17	MJU 10 WC /250	185	5172	3162	210	2010	240	629.00


J8U SS160 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	10.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	52
		HP	KW				0	36	72	90	108	126	144	162	180	187.2
J8U SS160 17/01	1	17.5	13	6"	212	(Hm)	36	35	31	30	29	27	24	22	18	14
J8U SS160 25/02-2	2	25	18.5	6"	212		46	45	44	42	37	33	29	26	21	18
J8U SS160 30/02-1	2	30	22	6"	212		55	54	51	48	44	39	34	29	24	22
J8U SS160 35/02	2	35	26	6"	212		65	64	61	58	53	48	42	36	28	26
J8U SS160 40/03-2	3	40	30	6"	212		77	76	72	68	64	58	53	47	40	37
J8U SS160 50/03-1	3	50	37	6"	212		87	85	78	74	69	63	57	51	43	40
J8U SS160 50/03	3	50	37	6"	212		93	90	84	78	74	68	62	55	48	44
J8U SS160 60/04-2	4	60	45	6"	212		110	107	100	94	88	81	74	66	58	54
J8U SS160 60/04-1	4	60	45	6"	212		116	114	106	102	95	88	81	72	63	59
J8U SS160 75/04	4	75	55	6"	212		128	126	119	114	106	98	91	81	72	68
J8U SS160 75/05-2	5	75	55	6"	212		138	135	127	121	114	106	98	89	80	75
J8U SS160 75/05-1	5	75	55	6"	212		144	141	133	126	120	112	104	94	86	83
J8U SS160 85/05	5	85	63	6"	212		154	149	140	134	126	118	109	99	91	87
J8U SS160 85/06-2	6	85	63	6"	212		170	166	157	144	142	128	120	109	99	93
J8U SS160 100/06-1	6	100	75	6"	212		178	174	162	155	146	134	125	114	103	98
J8U SS160 100/06	6	100	75	6"	212		188	180	168	160	152	138	130	119	108	101
J8U SS160 125/07-1	7	125	92	6"	212		203	198	185	178	168	155	145	134	120	110
J8U SS160 125/07	7	125	92	6"	212		212	204	192	185	175	162	153	139	125	118
J8U SS160 125/08	8	125	92	6"	212		236	228	215	206	196	184	174	162	145	138
J8U SS160 150/09	9	150	110	6"	212		267	264	254	242	230	215	204	190	172	163
J8U SS160 180/10	10	180	130	6"	212		300	292	274	264	249	234	222	208	185	175
J8U SS160 180/11	11	180	130	6"	212		330	318	298	286	270	254	242	228	210	200
J8U SS160 200/12	12	200	150	6"	212		360	348	328	317	300	282	268	252	230	220
J8U SS160 250/13	13	250	185	6"	212		395	380	359	345	328	308	292	276	253	240
J8U SS160 250/14	14	250	185	6"	212		428	408	384	367	348	326	308	290	265	250
J8U SS160 250/15	15	250	185	6"	212		456	436	407	390	370	346	328	308	282	270
J8U SS160 250/16	16	250	185	6"	212		474	455	427	410	390	374	348	327	300	290

J8U SS160 SERIES



J8U SS160 SERIES




J10U SS200 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J10U SS200 20/01-1	MJU 6 WC /20	15	1590	790	232	800	145	114.50
J10U SS200 25/01	MJU 6 WC /25	18.5	1660	790	232	870	145	126.50
J10U SS200 40/02-2	MJU 6 WC /40	30	2100	760	232	1140	145	181.50
J10U SS200 50/02-1	MJU 6 WC /50	37	2070	760	232	1310	145	184.50
J10U SS200 60/02	MJU 8 WC /60	45	1980	760	232	1020	193	223.50
J10U SS200 60/03-3	MJU 8 WC /60	45	2160	1140	232	1020	193	234.50
J10U SS200 70/03-2	MJU 8 WC /70	52	2230	1140	232	1090	193	250.50
J10U SS200 75/03-1	MJU 8 WC /75	55	2270	1140	232	1130	193	253.50
J10U SS200 85/03	MJU 8 WC /85	63	2350	1140	232	1210	193	267.50
J10U SS200 90/04-3	MJU 8 WC /90	67	2570	1310	232	1260	193	280.50
J10U SS200 90/04-2	MJU 8 WC /90	67	2570	1310	232	1260	193	280.50
J10U SS200 100/04-1	MJU 8 WC /100	75	2675	1310	232	1365	193	302.50
J10U SS200 100/04	MJU 8 WC /100	75	2675	1310	232	1365	193	302.50
J10U SS200 110/05-3	MJU 8 WC /110	81	2930	1490	232	1440	193	316.50
J10U SS200 125/05-2	MJU 8 WC /125	92	3020	1490	232	1530	193	339.50
J10U SS200 125/05	MJU 8 WC /125	92	3020	1490	232	1530	193	339.50
J10U SS200 150/06-3	MJU 8 WC /150	110	3260	1670	232	1590	193	375.50
J10U SS200 150/06-2	MJU 8 WC /150	110	3260	1670	232	1590	193	375.50
J10U SS200 150/06-1	MJU 8 WC /150	110	3260	1670	232	1590	193	375.50
J10U SS200 150/06	MJU 8 WC /150	110	3260	1670	232	1590	193	375.50
J10U SS200 180/07-3	MJU 10 WC /180	130	3500	1850	232	1650	240	514.50
J10U SS200 180/07-2	MJU 10 WC /180	130	3500	1850	232	1650	240	514.50
J10U SS200 180/07-1	MJU 10 WC /180	130	3500	1850	232	1650	240	514.50
J10U SS200 180/07	MJU 10 WC /180	130	3500	1850	232	1650	240	514.50
J10U SS200 180/08-2	MJU 10 WC /180	130	3670	2020	232	1650	240	525.50
J10U SS200 180/08-1	MJU 10 WC /180	130	3670	2020	232	1650	240	525.50
J10U SS200 180/08	MJU 10 WC /180	130	3670	2020	232	1650	240	525.50
J10U SS200 200/09-2	MJU 10 WC /200	150	3940	2190	232	1750	240	558.50
J10U SS200 200/09-1	MJU 10 WC /200	150	3940	2190	232	1750	240	558.50
J10U SS200 200/09	MJU 10 WC /200	150	3940	2190	232	1750	240	558.50
J10U SS200 250/10-2	MJU 10 WC /250	185	4370	2360	232	2010	240	629.50
J10U SS200 250/10-1	MJU 10 WC /250	185	4370	2360	232	2010	240	629.50
J10U SS200 250/10	MJU 10 WC /250	185	4370	2360	232	2010	240	629.50
J10U SS200 250/11	MJU 10 WC /250	185	4540	2530	232	2010	240	640.50


J10U SS200 SERIES

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0
		HP	KW				0	72	90	108	126	144	162	180	198	216
J10U SS200 20/01-1	1	20	15	6"	241	(Hm)	31	30	29	28	26	24	21	18	14	10
J10U SS200 25/01	1	25	18.5	6"	241		48	46	45	44	43	40	35	30	24	19
J10U SS200 40/02-2	2	40	30	6"	241		59	57	56	54	50	47	42	36	30	23
J10U SS200 50/02-1	2	50	37	6"	241		73	71	70	65	63	57	50	43	36	29
J10U SS200 60/02	2	60	45	6"	241		85	82	80	75	70	64	56	49	41	32
J10U SS200 60/03-3	3	60	45	6"	241		95	90	86	80	77	70	62	54	46	36
J10U SS200 70/03-2	3	70	52	6"	241		110	103	100	93	87	80	70	60	52	40
J10U SS200 75/03-1	3	75	55	6"	241		119	115	110	103	97	87	78	68	58	46
J10U SS200 85/03	3	85	63	6"	241		129	124	120	112	106	97	85	75	64	50
J10U SS200 90/04-3	4	90	67	6"	241		140	130	126	119	113	103	92	80	69	56
J10U SS200 90/04-2	4	90	67	6"	241		148	138	134	126	119	110	99	86	76	62
J10U SS200 100/04-1	4	100	75	6"	241		162	147	143	134	126	116	105	93	81	68
J10U SS200 100/04	4	100	75	6"	241		174	158	154	144	136	125	113	100	88	74
J10U SS200 110/05-3	5	110	81	6"	241		184	168	162	153	145	133	122	108	97	83
J10U SS200 125/05-2	5	125	92	6"	241		194	175	167	158	150	138	126	114	102	87
J10U SS200 125/05	5	125	92	6"	241		202	184	176	166	157	145	131	118	106	93
J10U SS200 150/06-3	6	150	110	6"	241		211	194	188	178	169	157	144	128	115	100
J10U SS200 150/06-2	6	150	110	6"	241		220	202	195	185	175	162	150	133	118	104
J10U SS200 150/06-1	6	150	110	6"	241		228	210	204	193	184	170	158	139	124	108
J10U SS200 150/06	6	150	110	6"	241		234	217	210	200	192	178	164	148	133	117
J10U SS200 180/07-3	7	180	130	6"	241		244	230	224	214	204	190	175	158	143	125
J10U SS200 180/07-2	7	180	130	6"	241		253	239	232	222	213	200	182	166	149	130
J10U SS200 180/07-1	7	180	130	6"	241		260	248	242	232	223	209	192	174	156	136
J10U SS200 180/07	7	180	130	6"	241		267	262	257	242	233	219	202	184	166	145
J10U SS200 180/08-2	8	180	130	6"	241		280	264	258	250	238	224	208	192	176	156
J10U SS200 180/08-1	8	180	130	6"	241		289	274	266	258	248	234	220	203	186	168
J10U SS200 180/08	8	180	130	6"	241		310	290	280	270	258	245	228	212	196	180
J10U SS200 200/09-2	9	200	150	6"	241		325	300	290	280	268	254	240	222	206	188
J10U SS200 200/09-1	9	200	150	6"	241		334	310	300	290	278	264	250	232	216	200
J10U SS200 200/09	9	200	150	6"	241		344	320	312	300	288	274	258	242	224	208
J10U SS200 250/10-2	10	250	185	6"	241		360	332	322	312	298	284	268	252	234	218
J10U SS200 250/10-1	10	250	185	6"	241		380	348	334	326	312	296	282	264	248	230
J10U SS200 250/10	10	250	185	6"	241		390	360	351	338	325	310	294	276	258	240

J10U SS200 SERIES



J10U SS200 SERIES




J10U SS250 SERIES

PUMP TYPE	Motor		DIMENSIONS(mm)					TOTAL WEIGHT (kg)
	TYPE	KW	CONNECTION			E	C	
			A	B	F			
J10U SS250 25/01	MJU 6 WC /25	18.5	943	798	232	870	145	127.50
J10U SS250 60/02	MJU 6 WC /60	37	1169	976	232	950	193	202.50
J10U SS250 85/03	MJU 8 WC /85	55	1347	1154	232	1130	193	254.50
J10U SS250 125/04	MJU 8 WC /125	75	1525	1332	232	1365	193	303.50
J10U SS250 150/05	MJU 8 WC /150	92	1703	1510	232	1530	193	340.50
J10U SS250 180/06	MJU 10 WC /180	110	1881	1688	232	1590	193	376.50
J10U SS250 200/07	MJU 10 WC /200	130	2106	1866	232	1570	240	515.50
J10U SS250 250/08	MJU 10 WC /250	130	2284	2044	232	1570	240	526.50
J10U SS250 250/09	MJU 10 WC /250	150	2462	2222	232	1660	240	559.50
J10U SS250 250/10	MJU 10 WC /250	185	2640	2400	232	1910	240	630.50

PUMP TYPE	STAGE	MOTOR		OUTLET	Q MAX (mm)	Lt/sn m³/h	0	13.9	27.8	41.7	55.6	69.4	83.3
		HP	KW				0	50	100	150	200	250	300
J10U SS250 25/01	1	25	18.5	6"	241	(Hm)	34	32	30	24	22	16	10
J10U SS250 60/02	2	60	45	6"	241		72	68	60	46	40	32	18
J10U SS250 85/03	3	85	63	6"	241		104	103	89	72	59	50	28
J10U SS250 125/04	4	125	92	6"	241		144	136	120	92	88	72	40
J10U SS250 150/05	5	150	110	6"	241		174	166	152	128	108	88	54
J10U SS250 180/06	6	180	130	6"	241		208	203	182	156	136	104	60
J10U SS250 200/07	7	200	150	6"	241		240	236	210	179	152	128	78
J10U SS250 250/08	8	250	185	6"	241		274	264	238	202	174	144	88

J10U SS250 SERIES





JMS ELETTROPOMPE S.R.L.



**Via per Poviglio, 35
42022 Boretto (RE) – Italy**



+39 0522 1072841



+39 0522 1078669



+39 327 7 15 16 00



export@jmselettropompe.it



www.jmselettropompe.it



CECONFORME
NSF / ANSI 61

